



CABLE TRANSIT SYSTEMS

WKE FB 10

WKE FB 10

Cable transit systems

100 x 150 x 100 mm

Article number: 86032101

Ready-to-install cable penetration seal for wall bushings to provide fire protection for single or bundled electrical cables and wires of all kinds (also fibre optic cables) as well as waveguides. Individual steel and plastic tubes ≤ 63 mm as well as RZD multitubes, Installation in walls at least 10 cm thick, of masonry, concrete, reinforced concrete or aerated concrete, Suitable for light partition walls at least 10 cm thick, Installation in light partition walls without jamb

width: 100 mm, inside width: 90 mm, height: 100 mm, inside height: 90 mm, length: 150 mm

S90

Ü

ABS

Technical data

Measures

Width:	100 mm
Length:	150 mm
Height:	100 mm
Inner height:	90 mm
Inner width:	90 mm

Other attributes

fire resistant:	S90
-----------------	-----



CABLE TRANSIT SYSTEMS

WKE FB 01

WKE FB 01

Cable transit systems

150 mm

Article number: 86033101

Ready-to-install cable penetration seal for wall bushings to provide fire protection for single or bundled electrical cables and wires of all kinds (also fibre optic cables) as well as waveguides. Individual steel and plastic tubes ≤ 63 mm as well as RZD multitubes, Installation in walls at least 10 cm thick, of masonry, concrete, reinforced concrete or aerated concrete, Suitable for light partition walls at least 10 cm thick, Installation in light partition walls without jamb

outside diameter: 100 mm, inside diameter: 90 mm, length: 150 mm

S90



ABS

Technical data

Measures

Length:	150 mm
---------	--------

Other attributes

fire resistant:	S90
-----------------	-----



CABLE TRANSIT SYSTEMS

WKE FB 06

WKE FB 06

Cable transit systems

150 mm

Article number: 86033301

Ready-to-install cable penetration seal for wall bushings to provide fire protection for single or bundled electrical cables and wires of all kinds (also fibre optic cables) as well as waveguides. Individual steel and plastic tubes ≤ 63 mm as well as RZD multitubes, Installation in walls at least 10 cm thick, of masonry, concrete, reinforced concrete or aerated concrete, Suitable for light partition walls at least 10 cm thick, Installation in light partition walls without jamb

outside diameter: 68 mm, inside diameter: 58 mm, length: 150 mm

S90

Ü

ABS

Technical data

Measures

Length:	150 mm
---------	--------

Other attributes

fire resistant:	S90
-----------------	-----



CABLE TRANSIT SYSTEMS

WKE FB 07

WKE FB 07

Cable transit systems

150 mm

Article number: 86033201

Ready-to-install cable penetration seal for wall bushings to provide fire protection for single or bundled electrical cables and wires of all kinds (also fibre optic cables) as well as waveguides. Individual steel and plastic tubes ≤ 63 mm as well as RZD multitubes, Installation in walls at least 10 cm thick, of masonry, concrete, reinforced concrete or aerated concrete, Suitable for light partition walls at least 10 cm thick, Installation in light partition walls without jamb

outside diameter: 74 mm, inside diameter: 64 mm, length: 150 mm

S90

Ü

ABS

Technical data

Measures

Length:	150 mm
---------	--------

Other attributes

fire resistant:	S90
-----------------	-----